Orthodontic Anchorage
Plate System

ANCORFIX



CAT-ANCOR-REV-1.0
ANVISA: 80859840176

ANCOR FIX

Indicated for skeletal anchorage, with applications in support of orthodontic mechanics.

When implanted, the plate provides a **stable and rigid anchorage point** to enable the orthodontic mechanics desired by the surgeon



WIRE-LOCK PLATES

Plate model selection criteria depend on the condition of the bone tissue and on the location of the anatomical site targeted for movement. The qualified professional is responsible for selecting the appropriate models to achieve the desired effect.

2 New plate geometries
to expand the range of applications



Rounded edges for greater patient comfort.



The **wire lock** is precise, allowing the orthodontic wire to be positioned without movement (rotation)

Legend

ID - Lower Right

IE - Lower Left

SD - Upper Right

SE - Upper Left

WIRE-LOCK PLATES



Reference plate:
A920.170-Q5P1-4 IE/SD

A920.170-Q5P1-2 - ANC 2.0 Standard Plate T 3 holes ID/SE Posterior with Wire Passer - **Medium**

A920.170-Q6P1-2 - ANC 2.0 Standard Plate T 3 holes IE/SD Posterior with Wire Passer - **Medium**

A920.170-Q5P1-3 - ANC 2.0 Standard Plate T 3 holes ID/SE Posterior with Wire Passer - **Long**

A920.170-Q6P1-3 - ANC 2.0 Standard Plate T 3 holes IE/SD Posterior with Wire Passer - **Long**

A920.170-Q5P1-4 - ANC 2.0 Standard Plate T 3 holes ID/SE Posterior with Wire Passer - **Extra Long**

A920.170-Q6P1-4 - ANC 2.0 Standard Plate T 3 holes IE/SD Posterior with Wire Passer - **Extra Long**



length **X**

Medium	9.5 mm
Long	12.5 mm
Extra Long	15.5 mm

length **A**

17.5 mm



Reference plate:
A920.175-Q9P1-4 S/I/ED

A920.175-Q9P1-2 - ANC 2.0 Standard Plate - T2 3 holes S/I/ED Posterior with Wire Passer - **Medium**

A920.175-Q9P1-3 - ANC 2.0 Standard Plate - T2 3 holes S/I/ED Posterior with Wire Passer - **Long**

A920.175-Q9P1-4 - ANC 2.0 Standard Plate - T2 3 holes S/I/ED Posterior with Wire Passer - **Extra Long**



length **X**

Medium	9.5 mm
Long	12.5 mm
Extra Long	15.5 mm

length **A**

17.5 mm

WIRE-LOCK PLATES



Reference plate:
A920.171-Q7A1-3 IE/ID

A920.171-Q7A1-2 - ANC 2.0 Standard Plate - TY 3 holes-45° SE/SD Anterior with Wire Passer - **Medium**

A920.171-Q7A1-3 - ANC 2.0 Standard Plate - TY 3 holes-45° SE/SD Anterior with Wire Passer - **Long**

A920.171-Q7A1-4 - ANC 2.0 Standard Plate - TY 3 holes-45° SE/SD Anterior with Wire Passer - **Extra Long**



length X

Medium	12.5 mm
Long	15.5 mm
Extra Long	18.5 mm

length A

17.5 mm



Reference plate:
A920.172-Q8A1-3 SE/SD

A920.172-Q8A1-2 - ANC 2.0 Standard Plate - TY 3 holes-30° SE/SD Anterior with Wire Passer - Medium

A920.172-Q8A1-3 - ANC 2.0 Standard Plate - TY 3 holes-30° SE/SD Anterior with Wire Passer - Long

A920.172-Q8A1-4 - ANC 2.0 Standard Plate - TY 3 holes-30° SE/SD Anterior with Wire Passer - Extra Long



length X

Medium	12.5 mm
Long	15.5 mm
Extra Long	18.5 mm

length A

17.5 mm

WIRE-LOCK PLATES



A920.174-Q1A1-2 - ANC 2.0 Standard Plate - YY 3 holes-30° SD Anterior with Wire Passer - Medium

A920.174-Q2A1-2 - ANC 2.0 Standard Plate - YY 3 holes-30° SE Anterior with Wire Passer - Medium

A920.174-Q1A1-3 - ANC 2.0 Standard Plate - YY 3 holes-30° SD Anterior with Wire Passer - Long

A920.174-Q2A1-3 - ANC 2.0 Standard Plate - YY 3 holes-30° SE Anterior with Wire Passer - Long

A920.174-Q1A1-4 - ANC 2.0 Standard Plate - YY 3 holes-30° SD Anterior with Wire Passer - Extra Long

A920.174-Q2A1-4 - ANC 2.0 Standard Plate - YY 3 holes-30° SE Anterior with Wire Passer - Extra Long

Reference plate:
A920.174-Q2A1-4 / SE





length X

Medium	9.5 mm
Long	12.5 mm
Extra Long	15.5 mm

length B

18.2 mm

length C

13.7 mm

WIRE-LOCK PLATES



Reference plate:
A920.158-E3 **(SE/ID)**

A920.158-D4 - 2.0 Standard Plate - Wire-Lock Anchorage T 3 Holes - Right Extra Long **(SD/IE)**

A920.158-E4 - 2.0 Standard Plate - Wire-Lock Anchorage T 3 Holes - Left Extra Long **(SE/ID)**

A920.158-D3 - 2.0 Standard Plate - Wire-Lock Anchorage T 3 Holes - Right Long **(SD/IE)**

A920.158-E3 - 2.0 Standard Plate - Wire-Lock Anchorage T 3 Holes - Left Long **(SE/ID)**



length X

Extra Long	15.5 mm
Long	12.5 mm

length A

17.5 mm



Reference plate:
A920.160-04 **(IE/ID)**

A920.160-04 - 2.0 Standard Plate - Wire-Lock Anchorage TY 45° 3 Holes - Extra Long

A920.160-03 - 2.0 Standard Plate - Wire-Lock Anchorage TY 45° 3 Holes - Long



length X

Extra Long	18.5 mm
Long	15.5 mm

length A

17.5 mm

WIRE-LOCK PLATES



Reference plate:
A920.161-04 **(SE/SD)**

A920.161-04 - 2.0 Standard Plate - Wire-Lock Anchorage TY 30° 3 Holes - Extra Long

A920.161-03 - 2.0 Standard Plate - Wire-Lock Anchorage TY 30° 3 Holes - Long



length X

Extra Long — 18.5 mm

Long — 15.5 mm

length A

— 17.5 mm



Reference plate:
A920.164-E3 **(SE/ID)**

A920.164-D4 - 2.0 Standard Plate - Wire-Lock Anchorage Y 3 Holes - Right Extra Long **(SD/IE)**

A920.164-E4 - 2.0 Standard Plate - Wire-Lock Anchorage Y 3 Holes - Left Extra Long **(SE/ID)**

A920.164-D3 - 2.0 Standard Plate - Wire-Lock Anchorage Y 3 Holes - Right Long **(SD/IE)**

A920.164-E3 - 2.0 Standard Plate - Wire-Lock Anchorage Y 3 Holes - Left Long **(SE/ID)**



length X

Extra Long — 15.5 mm

Long — 12.5 mm

length A

— 13.7 mm

WIRE-LOCK PLATES



Reference plate:
A920.167-E3 **(SE/ID)**

A920.167-D4 - 2.0 Standard Plate - Wire-Lock Anchorage L 2 Holes - Right Extra Long **(SD/IE)**

A920.167-E4 - 2.0 Standard Plate - Wire-Lock Anchorage L 2 Holes - Left Extra Long **(SE/ID)**

A920.167-D3 - 2.0 Standard Plate - Wire-Lock Anchorage L 2 Holes - Right Long **(SD/IE)**

A920.167-E3 - 2.0 Standard Plate - Wire-Lock Anchorage L 2 Holes - Left Long **(SE/ID)**



length X

Extra Long	15.5 mm
Long	12.5 mm

length A

	11.0 mm



LOW PROFILE

We manufacture low-profile, high-strength anchorage plates to ensure comfort, malleability and safety

SCREWS



SELF-DRILLING

A920.501-05 — SCREW 2.0mm X 05 mm

A920.501-07 — SCREW 2.0mm X 07 mm



SELF-TAPPING SCREWS

A920.502-05 — SCREW 2.0mm X 05 mm

A920.502-07 — SCREW 2.0mm X 07 mm



EMERGENCY SELF-TAPPING SCREWS

A920.503-05 — SCREW 2.3mm X 05 mm

A920.503-07 — SCREW 2.3mm X 07 mm

INSTRUMENTS



T41.003	DRILL **Ø1.6 X 5 X 50MM**
T41.004	DRILL **Ø1.6 X 7 X 50MM**
T40.003	CRUCIFORM CONNECTOR **MEDIUM**
T40.004	HAND DRIVER
MM3001	ANGLED FORCEPS **18CM**
MM3002	TRIDENT BENDING PLIERS **1.5/2.0**
MM3003	FLAT PLIERS **1.5/2.0 MM**
MM3079	2.0 PLATE CASE **(ANCORFIX)**

cpmh

ANCORFIX

WhatsApp

NCM
Ancorfix: 9021.10.20
Instruments: 9018.90.99

ANVISA Instruments:
80859840169 / 80859849019 /
80859840221 / 80859840233

ANVISA Ancorfix:
80859840176

